aquatreat®

Fine chemicals for water treatment

Industrial zone B 122 - Nieuwlandlaan 40/42 B-3200 Aarschot – BELGIUM Tel. +32.16.56.21.21 E-mail:aquatreat@aquatreat.be

Website URL: http://www.aquatreat.eu

aquatreat® 810L

Last revision: 10.10.2016

Data sheet

DESCRIPTION

- AQUATREAT 810L is a liquid that can be used to remove hard-scale quickly.
- AQUATREAT 810L is composed of organic acids, dispersants, wetting-agents and corrosion-inhibitors.
- AQUATREAT 810L is designed to clean heat-exchangers, boilers, piping and vessels from scales composed of hardness and corrosion products.
- AQUATREAT 810L can be used in the presence of all metals, especially zinc, aluminium and its alloys.
- AQUATREAT 810L is less hazardous compared to passivated acids as there are sulphuric and hydrochloric acid.

PROPERTIES

Appearance : colourless liquid

Solubility in water : infinite pH : < 3

Density : 1.06 ± 0.02

CLEANING PROCEDURE

To clean scaled equipment, AQUATREAT 810L is circulated with an acid-resistant pump through the fouled equipment. If a great part of the scale consists of iron oxide, ordinary salt (sodium chloride), up to half the amount of the product used, is added to the prepared solution. To fasten cleaning, the temperature of the solution is increased to 65° C. When the pH of the solution rises above 3, AQUATREAT 810L has to be added and circulation is continued until the pH does not rise anymore. This means that all scale has been removed and that the cleaning is completed. After this cleaning, a 2 % NEUTRALCAL solution or caustic soda, or soda-ash is circulated in order to neutralize remained acid and to passivate the metal. The total cleaning time will be 8 hours to a maximum of 24 hours.

PACKAGING

Polyethylene drums of 22 or 220 litres, containers of 1000 litres.

HANDLING

AQUATREAT 810L is irritating to eyes and skin. Goggles and rubber or plastic gloves should be worn. In case of contact with skin or eyes, immediately flush with water. In case of contact with eyes, get medical attention.

All the given information is correct to our current knowledge. None of the indications, compositions or applications have the intention of violating existing patents. Nothing may be duplicated and/or multiplied without our written consent.
