

# aquatreat<sup>®</sup>

*Fine chemicals for water treatment*

Industrial zone B 122 - Nieuwlandlaan 40/42  
B-3200 Aarschot – BELGIUM  
Tel. +32.16.56.21.21  
E-mail: [aquatreat@aquatreat.be](mailto:aquatreat@aquatreat.be)  
Website URL: <http://www.aquatreat.eu>

## aquatreat<sup>®</sup> 209

Last revision : 10.10.2016

---

Data sheet

---

### DESCRIPTION

- AQUATREAT 209 is a new product used in open and closed recirculating cooling-water systems.
- AQUATREAT 209 is a very efficient dispersant for hardness-salts, metallic-oxides and disperses organic deposits.
- AQUATREAT 209 does not contain any phosphate.

### PROPERTIES

Appearance	: clear liquid
pH	: $6,6 \pm 1,0$
Density	: $1,14 \pm 0,02$
Solubility in water	: infinite
Viscosity	: 7,2 mPa.s/ 20°C

### DOSAGE AND CONTROL

For the control of calcium deposits in cooling-water systems, the dosage of AQUATREAT 209 usually is in the range of 5 to 20 ppm. AQUATREAT 209 may be diluted with water. For the best results a continuous dosage is required. For other applications, higher dosages may be necessary depending upon the specific problem.

### PACKAGING

Polyethylene drums of 22, 220 litres, containers of 1000 litres or bulk.

### HANDLING

AQUATREAT 209 is slightly irritating on skin or eyes. Therefore every contact should be avoided. In case of contact, rinse with plenty of water. In case of contact with eyes, get medical attention.