

Safety Data Sheet

AQUATREAT® 415

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. PRODUCT IDENTIFIER

Chemical type : Mixture
Name : AQUATREAT® 415

1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

1.2.1. Relevant identified uses

Use of the substance/mixture : Biocide

Title	Sector of use	Product category	Process category	Article category	Environmental release	SPERC
Biocide	SU0, SU3, SU5, SU22, SU23	PC8	PROC2, PROC4, PROC8a, PROC8b, PROC9		ERC4	ESVOC SPERC 3.22a.v1

Full text of use descriptors: see section 16

1.2.2. Uses advised against

No additional information available

1.3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

International Aquatreat company bvba
Industrial Zone B 122 - Nieuwlandlaan 40/42
3200 AARSCHOT - Belgium
T +32 (0)16 562121
aquatreat@aquatreat.be - www.aquatreat.eu

1.4. EMERGENCY TELEPHONE NUMBER

No additional information available

SECTION 2: HAZARDS IDENTIFICATION

2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Corr. 1B H314
Skin Sens. 1 H317
Aquatic Chronic 3 H412

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. LABEL ELEMENTS

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

CLP Signal word : Danger

Safety Data Sheet

AQUATREAT® 415

Hazard statements (CLP)	: H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction H412 - Harmful to aquatic life with long lasting effects
Precautionary statements (CLP)	: P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

2.3. OTHER HAZARDS

This substance/mixture does not meet the PBT/vPvB criteria of REACH regulation, annex XIII

Other hazards not contributing to the classification : Frost.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. SUBSTANCE

Not applicable

3.2. MIXTURE

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
mixture of isothiazol	(CAS No) 55965-84-9 (EC index no) 613-167-00-5	0,6 - 3	Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. DESCRIPTION OF FIRST AID MEASURES

First-aid measures after inhalation	: Move the person to fresh air.
First-aid measures after skin contact	: Wash immediately with lots of water.
First-aid measures after eye contact	: Wash immediately with lots of water (15 minutes).
First-aid measures after ingestion	: Immediately after ingestion: give lots of water to drink. Seek medical advice immediately.

4.2. MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

No additional information available

4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No additional information available

SECTION 5: FIREFIGHTING MEASURES

5.1. EXTINGUISHING MEDIA

Suitable extinguishing media	: Powder. Water . Foam.
Unsuitable extinguishing media	: Not specified.

Safety Data Sheet

AQUATREAT® 415

5.2. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

No additional information available

5.3. ADVICE FOR FIREFIGHTERS

No additional information available

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

General measures : Protective clothing.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. ENVIRONMENTAL PRECAUTIONS

Plug the leak, cut off the supply. Prevent soil and water pollution.

6.3. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Methods for cleaning up : Clean contaminated surfaces with an excess of water.

6.4. REFERENCE TO OTHER SECTIONS

No additional information available

SECTION 7: HANDLING AND STORAGE

7.1. PRECAUTIONS FOR SAFE HANDLING

Precautions for safe handling : Keep packing tightly closed.

7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage conditions : Keep container in a well ventilated place.

7.3. SPECIFIC END USE(S)

No additional information available

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. CONTROL PARAMETERS

No additional information available

8.2. EXPOSURE CONTROLS

Hand protection : Gloves.

Eye protection : Protective goggles.

Skin and body protection : Wear suitable gloves, resistant to chemicals.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Liquid

Appearance : Clear.

Colour : Colourless.

Odour : Weakly.

Odour threshold : No data available

pH : 2 - 5

Safety Data Sheet

AQUATREAT® 415

Melting point	: No data available
Freezing point	: No data available
Boiling point	: > 100 °C
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosive limits	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1,03 +/- 0,02
Solubility	: Water solubility: 100%. Water: Completely soluble
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

9.2. OTHER INFORMATION

No additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1. REACTIVITY

No additional information available

10.2. CHEMICAL STABILITY

No additional information available

10.3. POSSIBILITY OF HAZARDOUS REACTIONS

No additional information available

10.4. CONDITIONS TO AVOID

heat sources. (strong) bases.

10.5. INCOMPATIBLE MATERIALS

No additional information available

10.6. HAZARDOUS DECOMPOSITION PRODUCTS

No additional information available

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

Acute toxicity : Not classified

AQUATREAT® 415

LD50 oral rat	= 4490 mg/kg
---------------	--------------

Skin corrosion/irritation : Causes severe skin burns and eye damage.
pH: 2 - 5

Safety Data Sheet

AQUATREAT® 415

Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 2 - 5
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: ECOLOGICAL INFORMATION

12.1. TOXICITY

AQUATREAT® 415	
LC50 fish 1	14,4 mg/l (96h, US-EPA 72-1)
EC50 Daphnia 1	48,6 mg/l (21d, OECD 202, sect. I & II)

12.2. PERSISTENCE AND DEGRADABILITY

No additional information available

12.3. BIOACCUMULATIVE POTENTIAL

No additional information available

12.4. MOBILITY IN SOIL

No additional information available

12.5. RESULTS OF PBT AND VPVB ASSESSMENT

AQUATREAT® 415
This substance/mixture does not meet the PBT/vPvB criteria of REACH regulation, annex XIII

12.6. OTHER ADVERSE EFFECTS

No additional information available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. WASTE TREATMENT METHODS

Ecology - waste materials : Refer to manufacturer/supplier for information on recovery/ recycling. Do not discharge into drains or the environment.

SECTION 14: TRANSPORT INFORMATION

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN NUMBER

UN-No. (ADR) : 3265

14.2. UN PROPER SHIPPING NAME

Proper Shipping Name (ADR) : corrosive liquid, acidic, organic, n.o.s., (mixture of isothiazol),8,III, (E)

Transport document description (ADR) : UN 3265 corrosive liquid, acidic, organic, n.o.s., (mixture of isothiazol),8,III, (E)

Safety Data Sheet

AQUATREAT® 415

14.3. TRANSPORT HAZARD CLASS(ES)

Danger labels (ADR) : 8



14.4. PACKING GROUP

Packing group (UN) : Not applicable

14.5. ENVIRONMENTAL HAZARDS


Other information : No supplementary information available.

14.6. SPECIAL PRECAUTIONS FOR USER

14.6.1. Overland transport

Hazard identification number (Kemler No.) : 80

Orange plates :



14.6.2. Transport by sea

No additional information available

14.6.3. Air transport

No additional information available

14.7. TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not applicable

SECTION 15: REGULATORY INFORMATION

15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

15.1.1. EU-Regulations

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. CHEMICAL SAFETY ASSESSMENT

No additional information available

SECTION 16: OTHER INFORMATION

Other information : The contents and format of this material safety data sheet are in accordance with REACH 1907/2006 and CLP-EU 1272/2008. All the given information is correct to our current knowledge. None of the indications, compositions or applications have the intention of violating existing patents. Nothing may be duplicated and/or multiplied without our written consent.

Full text of R-, H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
-----------------------	-------------------------------------

Safety Data Sheet

AQUATREAT® 415

Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1	Sensitisation — Skin, Category 1
H301	Toxic if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H331	Toxic if inhaled
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
ERC4	Industrial use of processing aids in processes and products, not becoming part of articles
ESVOC SPERC 3.22a.v1	Water treatment chemicals: Industrial (SU10)
PC8	Biocidal products (e.g. Disinfectants, pest control)
PROC2	Use in closed, continuous process with occasional controlled exposure
PROC4	Use in batch and other process (synthesis) where opportunity for exposure arises
PROC8a	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities
PROC8b	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities
PROC9	Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
SU0	Other
SU22	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
SU23	Electricity, steam, gas water supply and sewage treatment
SU3	Industrial uses: Uses of substances as such or in preparations* at industrial sites
SU5	Manufacture of textiles, leather, fur

REACH SDS Aquatreat

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product